



Product Information

www.miller-stephenson.com

MS-730 / 730M / 732 Contact Re-Nu®

Description:

Contact Re-Nu® is an odorless cleaning agent that restores electrical and mechanical continuity to all types of contacts including: connectors, relays, tuners, encoders, slide wires, rheostats, distribution panels, servomechanisms and switching devices. It is a plastic safe, nonflammable blend containing an HFE solvent. Evaporates quickly and leaves no residue.

Advantages:

- Evaporates quickly
- Leaves no residue
- Compatible with most plastics, elastomers and rubber
- Nonflammable
- Non ozone depleting
- RoHS compliant
- NSN 6850-01-519-1815 (12oz Aerosol)

Physical Properties:

Liquid Density.....1.41 g/ml @ 70°F/21°C
Ozone Depletion..... 00
VOC Content
Aerosol.....132 gms/l
Bulk.....162 gms/l

Plastic Compatibility:

(Immersion: 15 mins @77°F/25°C)

- Acrylic
- Polypropylene
- Polyester
- PMMA
- Nylon
- Polyethylene
- Polycarbonate
- Epoxy
- PET
- ABS

Elastomer Compatibility:

(Immersion: 15mins @ 77°F/25°C)

- Butyl Rubber
- Nitrile Rubber
- Natural Rubber
- EPDM

Metal Compatibility:

(Immersion: 15mins @ 77°F/25°C)

- Aluminum
- Carbon Steel
- Brass
- Copper
- Stainless Steel
- Zinc

Note: Test for compatibility before use.

Safety Data Sheets (SDS) are available upon request.

Contact Re-Nu® is a registered trademark of miller-stephenson chemical company inc.

The recommendation made here with and the information set forth with respect to the performance or use of our products are believed, but not warranted to be accurate. The products discussed are sold without warranty, as to fitness or performance, express or implied and upon condition that purchasers shall make their own test to determine suitability of such products for their particular purposes. Likewise, statements concerning the possible uses of our products are not intended as recommendations to use our products in the infringement of any patent.

1457-10L