



Product Information

www.miller-stephenson.com

MS-730L Contact Re-Nu®

Description:

Contact Re-Nu® is a low global warming formulation. It is an odorless cleaning agent that restores electrical and mechanical continuity to all types of contacts including: connectors, relays, tuners, encoders, slide wires, rheostats, distribution panels, servomechanisms and switching devices. It is plastic safe.

Advantages:

- Ultra Low Global Warming Potential
- Evaporates quickly
- Leaves no residue
- Safe for most plastics, elastomers and metals
- RoHS compliant

Properties of Solvent:

Boiling Point.....70°F/21°C
Density.....1.17 g/ml @ 54°F/12°C
VOC Content.....140 g/liter
Global Warming Potential.....5.9
Ozone Depletion Potential.....0

Plastic Compatibility:

(Immersion: 2 weeks)

- ABS
- Polypropylene
- PVD
- ACETAL
- PET
- HD Polyethylene
- PTFE
- Nylon 66
- Polycarbonate
- PVC

Elastomer Compatibility:

(Immersion: 2 weeks)

- Butyl Rubber
- Viton™B
- Natural Rubber
- Neoprene

Metal Compatibility:

- Aluminum
- Carbon Steel
- Brass
- Copper
- Stainless Steel
- Zinc

Note: Test for compatibility before use.

Safety Data Sheet (SDS) is available upon request.

Contact Re-Nu® is a registered trademark of miller-stephenson chemical company inc. Viton™ is a trademark of The Chemours Co. FC, LLC.

The recommendation made here with and the information set forth with respect to the performance or use of our products are believed, but not warranted to be accurate. The products discussed are sold without warranty, as to fitness or performance, express or implied and upon condition that purchasers shall make their own test to determine suitability of such products for their particular purposes. Likewise, statements concerning the possible uses of our products are not intended as recommendations to use our products in the infringement of any patent.

1495-10L