



DuPont™ Vertrel® SDG specialty fluid

Version 2.0

Revision Date 02/09/2015

Ref. 130000033958

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DuPont™ Vertrel® SDG specialty fluid
 Product Use : Cleaning agent, For professional users only.

Restrictions on use : Do not use product for anything outside of the above specified uses
 Manufacturer/Supplier : DuPont
 1007 Market Street
 Wilmington, DE 19898
 United States of America

Product Information : 1-800-441-7515 (outside the U.S. 1-302-774-1000)
 Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)
 Transport Emergency : CHEMTREC: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION

Product hazard category
 Serious eye damage/eye irritation Category 2B
 Specific target organ toxicity - single exposure Category 3

Label content
 Pictogram :




DuPont™ Vertrel® SDG specialty fluid

Version 2.0

Revision Date 02/09/2015

Ref. 130000033958

Signal word : Warning

Hazardous warnings : Causes eye irritation.
May cause respiratory irritation.
May cause drowsiness or dizziness.

Hazardous prevention measures : Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
Wash skin thoroughly after handling.
Use only outdoors or in a well-ventilated area.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Call a POISON CENTER or doctor/ physician if you feel unwell.
If eye irritation persists: Get medical advice/ attention.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing., May cause eye and skin irritation., Prolonged skin contact may defat the skin and produce dermatitis., Effects of breathing high concentrations of vapour may include:, May cause cardiac arrhythmia., Central nervous system effects, Convulsions, Misuse or intentional inhalation abuse may lead to death without warning.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
trans-Dichloroethylene	156-60-5	65 - 90 %


DuPont™ Vertrel® SDG specialty fluid

Version 2.0

Revision Date 02/09/2015

Ref. 130000033958

1,1,1,2,2,3,4,5,5,5-Decafluoropentane	138495-42-8	5 - 25 %
1,1,2,2,3,3,4-Heptafluorocyclopentane	15290-77-4	5 - 15 %

SECTION 4. FIRST AID MEASURES

- General advice : Never give anything by mouth to an unconscious person. Victim to lie down in the recovery position, cover and keep him warm. Give oxygen or artificial respiration if needed. When symptoms persist or in all cases of doubt seek medical advice.
- Inhalation : Remove from exposure, lie down. Move to fresh air. Keep patient warm and at rest. Artificial respiration and/or oxygen may be necessary. Consult a physician.
- Skin contact : Take off all contaminated clothing immediately. Wash off with warm water.
- Eye contact : Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention. Remove contact lenses, if present and easy to do. Continue rinsing.
- Ingestion : Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Drink 1 or 2 glasses of water. If vomiting occurs, have victim lean forward to reduce the risk of aspiration. Consult a physician.
- Most important symptoms/effects, acute and delayed : Dizziness
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Do not give adrenaline or similar drugs. Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, that may be used in situations of emergency life support should be used with special caution.

**DuPont™ Vertrel® SDG specialty fluid**

Version 2.0

Revision Date 02/09/2015

Ref. 130000033958

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray, Water mist, Dry chemical, Carbon dioxide (CO₂)
- Unsuitable extinguishing media : No applicable data available.
- Specific hazards : Fire or intense heat may cause violent rupture of packages.
The product is not flammable. Vapours may form flammable mixture with air.
Hazardous combustion products: Hydrogen fluoride Fluorinated hydrocarbons
Carbonyl fluoride Carbon oxides Hydrogen chloride
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Wear neoprene gloves during cleaning up work after a fire. Exposure to decomposition products may be a hazard to health.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Evacuate personnel to safe areas. Cool containers/tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

- Safeguards (Personnel) : Evacuate personnel to safe areas. Ventilate area, especially low or enclosed places where heavy vapours might collect. In case of insufficient ventilation, wear suitable respiratory equipment. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage. Prevent spreading over a wide area (e.g. by containment or oil barriers). Should not be released into the environment. Do not allow contact with soil, surface or ground water.
- Spill Cleanup : Contain spillage, and then collect with non-combustible absorbent material,

**DuPont™ Vertrel® SDG specialty fluid**

Version 2.0

Revision Date 02/09/2015

Ref. 130000033958

(e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Accidental Release Measures : No applicable data available.

SECTION 7. HANDLING AND STORAGE

- Handling (Personnel) : Avoid contact with skin, eyes and clothing. Avoid breathing vapours or mist. Provide sufficient air exchange and/or exhaust in work rooms. For personal protection see section 8.
Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.
- Handling (Physical Aspects) : Material should not be dispensed from its container by pouring, except for small sample containers where fume hoods or where other ventilation is used to manage the exposure limits. The use of a drum pump is recommended for dispensing from shipping containers.
- Dust explosion class : Not applicable
- Storage : Protect from contamination. Drainage facilities should be constructed for containment of small spills. Keep container tightly closed in a dry and well-ventilated place. Store in original container. Avoid freezing temperatures. If stored below -10°C (14°F), mix prior to use.
- Storage period : No applicable data available.
- Storage temperature : < 52 °C (< 126 °F)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering controls : Use sufficient ventilation to keep employee exposure below recommended limits.
- Personal protective equipment
Respiratory protection : For rescue and maintenance work in storage tanks use self-contained breathing apparatus. Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.



DuPont™ Vertrel® SDG specialty fluid

Version 2.0

Revision Date 02/09/2015

Ref. 130000033958

- Hand protection : Material: Solvent-resistant gloves
- Eye protection : Safety glasses with side-shields Additionally wear a face shield where the possibility exists for face contact due to splashing, spraying or airborne contact with this material.
- Skin and body protection : Protective suit

Exposure Guidelines
Exposure Limit Values

trans-Dichloroethylene Permissible exposure limit:	(OSHA)	200 ppm	790 mg/m3	8 hr. TWA
TLV	(ACGIH)	200 ppm	TWA	
AEL *	(DUPONT)	200 ppm	8 & 12 hr. TWA	
1,1,1,2,2,3,4,5,5,5-Decafluoropentane AEL *	(DUPONT)	200 ppm	8 & 12 hr. TWA	
AEL *	(DUPONT)	400 ppm	Ceiling Limit Value:	

* AEL is the Manufacturer's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**DuPont™ Vertrel® SDG specialty fluid**

Version 2.0

Revision Date 02/09/2015

Ref. 130000033958

Appearance (Physical state, form, colour, etc.)

Form	: liquid
Color	: clear, colourless
Odor	: slight, ether-like
Odor threshold	: No applicable data available.
pH	: No applicable data available.
Melting point/freezing point	: Freezing point < -50 °C (-58 °F)
Boiling point/boiling range	: Boiling point 43 °C (109 °F)
Flash point	: Method: Pensky-Martens closed cup - PMCC does not flash

No flash point was obtained, but the product may release flammable vapour.

Evaporation rate	: No applicable data available.
Flammability (solid, gas)	: No applicable data available.

Upper explosion limit : 14 vol%

Lower explosion limit : 7 vol%

Vapor pressure	: 517 hPa at 25 °C (77 °F)
Vapour density	: No applicable data available.

Density	: 1.29 g/cm ³ at 25 °C (77 °F)
Specific gravity (Relative density)	: No applicable data available.
Bulk density	: No applicable data available.

Water solubility : No applicable data available.

Solubility(ies) : No applicable data available.

Partition coefficient: n-octanol/water	: No applicable data available.
Auto-ignition temperature	: No applicable data available.

Decomposition temperature : No applicable data available.

**DuPont™ Vertrel® SDG specialty fluid**

Version 2.0

Revision Date 02/09/2015

Ref. 130000033958

Viscosity : 0.59 mPa.s at 25 °C (77 °F)

SECTION 10. STABILITY AND REACTIVITY

- Reactivity : Stable at normal ambient temperature and pressure.
- Chemical stability : The product is chemically stable.
No decomposition if stored and applied as directed.
- Possibility of hazardous reactions : No applicable data available.
- Conditions to avoid : Avoid open flames and high temperatures.
- Incompatible materials : Alkali metals Alkaline earth metals, Powdered metals, Powdered metal salts, Nitrogen oxides (NOx), Acids, bases and strong oxidizing agents, Oxygen
- Hazardous decomposition products : Hazardous decomposition products formed under fire conditions.: Fluorinated hydrocarbons, Hydrogen fluoride, Carbon dioxide (CO₂), Carbon monoxide, Hydrogen chloride gas, Carbonyl fluoride

SECTION 11. TOXICOLOGICAL INFORMATION

- trans-Dichloroethylene
- Inhalation 4 h LC50 : 95.4 mg/l , Rat
Target Organs: Central nervous system
Central nervous system depression
- Dermal LD50 : > 5,000 mg/kg , Rabbit
- Oral LD50 : 2,122 mg/kg , Mouse
Target Organs: Central nervous system
Central nervous system depression
- Skin irritation : Mild skin irritation, Rabbit
- Eye irritation : Irritation to eyes, reversing within 7 days, Rabbit


DuPont™ Vertrel® SDG specialty fluid

Version 2.0

Revision Date 02/09/2015

Ref. 130000033958

- Repeated dose toxicity : Inhalation
Rat
-
No toxicologically significant effects were found.
- Oral
Rat
-
No toxicologically significant effects were found.
- Mutagenicity : Animal testing did not show any mutagenic effects.
Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
- Teratogenicity : Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.
- Further information : Cardiac sensitisation threshold limit : 793047 mg/m3
- 1,1,1,2,2,3,4,5,5,5-Decafluoropentane
Inhalation 4 h LC50 : 114 mg/l , Rat
Central nervous system effects
Convulsions
- Dermal LD50 : > 5,000 mg/kg , Rabbit
- Oral LD50 : > 5,000 mg/kg , Rat
- Skin irritation : No skin irritation, Rabbit
- Eye irritation : No eye irritation, Rabbit
- Skin sensitization : Did not cause sensitisation on laboratory animals., Guinea pig
- Repeated dose toxicity : Inhalation
Rat
-
No toxicologically significant effects were found.
- Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Animal testing did not show any mutagenic effects.


DuPont™ Vertrel® SDG specialty fluid

Version 2.0

Revision Date 02/09/2015

Ref. 130000033958

Reproductive toxicity : No toxicity to reproduction
Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed no developmental toxicity.

1,1,1,2,2,3,3,4-Heptafluorocyclopentane

Inhalation 4 h LC50 : 116 mg/l , Rat
Vapour

Dermal LD50 : > 2,000 mg/kg , Rat

Oral LD50 : > 2,000 mg/kg , Rat

Skin irritation : No skin irritation, Rabbit

Eye irritation : No eye irritation, Rabbit

Skin sensitization : Does not cause skin sensitisation., Guinea pig

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

SECTION 12. ECOLOGICAL INFORMATION
Aquatic Toxicity

trans-Dichloroethylene

96 h LC50 : Lepomis macrochirus (Bluegill sunfish) 74 mg/l

96 h EC50 : Pseudokirchneriella subcapitata (green algae) 798 mg/l

48 h LC50 : Daphnia magna (Water flea) 79 mg/l

1,1,1,2,2,3,3,4,5,5,5-Decafluoropentane

96 h LC50 : Oncorhynchus mykiss (rainbow trout) 13.9 mg/l

96 h LC50 : Pimephales promelas (fathead minnow) 27.2 mg/l


DuPont™ Vertrel® SDG specialty fluid

Version 2.0

Revision Date 02/09/2015

Ref. 130000033958

96 h LC50 : Danio rerio (zebra fish) 13 mg/l
 72 h EC50 : Pseudokirchneriella subcapitata (green algae) > 120 mg/l
 48 h LC50 : Daphnia magna (Water flea) 11.7 mg/l
 21 d : NOEC Daphnia magna (Water flea) 1.72 mg/l

1,1,2,2,3,3,4-Heptafluorocyclopentane

96 h LC50 : Oncorhynchus mykiss (rainbow trout) 74.2 mg/l
 72 h NOEC : Selenastrum capricornutum (green algae) 24.9 mg/l
 48 h EC50 : Daphnia magna (Water flea) 66.3 mg/l

Environmental Fate

trans-Dichloroethylene

Biodegradability : Not biodegradable 8 % OECD Test Guideline 301D

1,1,1,2,2,3,4,5,5,5-Decafluoropentane

Biodegradability : Not readily biodegradable.

Bioaccumulation : Bioaccumulation is unlikely.

1,1,2,2,3,3,4-Heptafluorocyclopentane

Biodegradability : 0 %
Not readily biodegradable.

Additional ecological information : No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste disposal methods - Product : Can be used after re-conditioning. If recycling is not practicable, dispose of in compliance with local regulations. The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : If recycling is not practicable, dispose of in compliance with local regulations.


DuPont™ Vertrel® SDG specialty fluid

Version 2.0

Revision Date 02/09/2015

Ref. 130000033958

SECTION 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

DOT only - when shipped in packages with > 1194 lbs., use: UN3082, Environmentally Hazardous Substance, Liquid, N.O.S. (Dichloroethylene), 9, PGIII RQ (Dichloroethylene)

SECTION 15. REGULATORY INFORMATION

TSCA : Listed
 1,1,1,2,2,3,4,5,5,5-DECAFLUOROPENTANE (CAS# 138495-42-8) is controlled by TSCA Section 5, Significant New Use Rule (SNUR; 40 CFR 721.5645) The approved uses are: precision and general cleaning, carrier fluid, displacement drying, printed circuit board cleaning, particulate removal and film cleaning, process medium, heat transfer fluid (dielectric and non-dielectric), and test fluid. Processors and users of this substance must also comply with the applicable general SNUR requirements set forth in 40 CFR 721 subpart A, including export notification requirements if applicable (40 CFR 721.20), and the applicable record keeping requirements set forth at 40 CFR 721.125.

This material contains one or more substances which are subject to a TSCA Section 5 Consent Order or Significant New Use Rule (SNUR).
 1,1,2,2,3,3,4-Heptafluorocyclopentane (CAS# 15290-77-4)

SARA 313 Regulated Chemical(s) : trans-Dichloroethylene

PA Right to Know Regulated Chemical(s) : Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances):
 trans-Dichloroethylene

**DuPont™ Vertrel® SDG specialty fluid**

Version 2.0

Revision Date 02/09/2015

Ref. 130000033958

NJ Right to Know Regulated Chemical(s)	: Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): trans-Dichloroethylene
CERCLA Reportable Quantity	: 1194 lbs Based on the percentage composition of this chemical in the product.: trans-Dichloroethylene
California Prop. 65	: Chemicals known to the State of California to cause cancer, birth defects or any other harm: none known

SECTION 16. OTHER INFORMATION

Before use read DuPont's safety information.

For further information contact the local DuPont office or DuPont's nominated distributors.

DuPont™ Vertrel® are registered trademarks or trademarks of E. I. du Pont de Nemours and Company or its affiliates.

Revision Date : 02/09/2015

Contact person : MSDS Coordinator, DuPont Chemicals and Fluoroproducts, Wilmington, DE
19898, (800) 441-7515

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.